

					INNE							
					UTE	Ursprungs-						
-	Dim.	Längd	Anmärkning	Mtrl.cert	Fack	order	Datum	Reserverat	Vikt	Pris/kg	Summa	Inventerat Datum
1312	Ø36x3	4 300	KD Rör		MS		240213		20	20	400	240213
1672 C45	Ø31	9x150	Slipat		28		231231		8	25	9	
1672 C45	Ø85/60	125			16		231231		3	25	75	
1672 C45	Ø25,8	230			14		231231		2	25	50	
1672 C45	Ø260	25			20		231231		10	25	250	
1672 C45	Ø30	6x450	h8 slipat		17		240408		18	25	450	
1672 C45	Ø75	3 400			MS		240306		117	25	2925	240515
1672 C45	Ø100	3 300			MS		240614		225	25	5625	240614
1672 C45	Ø32	485	slip		5		231231		9	25	225	
1672 C45	30x15	1 300			MS		241218		2	25	50	241218
1672 C45	Ø120	2 560			MS		240910		255	25	6375	240910
1672 C45	Ø25	700	slipat h8		11		240311		11	25	275	
1672 C45	Ø30,8	2x560	Sk.sv		18		231231	13565-01-99, 250314	8	25	200	
1672 C45	Ø30,8	2x530	Sk.sv		18		231231	13565-01-99, 250314	6	25	150	
1672 C45	Ø60	5x138			27		241205		10	25	250	241205
1672 C45	Ø75	6x52			3		240514		6	25	150	
1914	40x40	560			17		231231		7	30	210	
1914	SK 19	7x1000			23		241029		20	30	600	
1914	SK 19	540+350			23		231231		2	30	60	
1914	Ø80	1 900			MS		231231		85	30	2550	241216
1914	6K 32	2x600			2		231231		5	30	150	
2172	6x80x100	2x700	RÖR		27		231231		14	20	280	
2172	80x10	1 900			MS		231231		9	20	180	240513
2172	40x40x6	700	vinkel		18		231231		2	20	40	
2172	Ø22/16	2 500	Rör		MS		231231		4	20	80	240513
2172	Ø203/140	140	Rör		504		241205		15	20	300	241205
2172	65x80	2x50			23		231231		4	20	80	
2172	Ø80/2	430	Rör		2		231231		2	20	40	
2172	Ø45x35	3 700			MS		231231		18,4	20	368	240617
2172	180x30	2 840			MS		231231		121	20	2420	240617
2172	40x15	4x80			4		231231		2	20	40	
2172	65x80	5x35			23		231231		7	20	140	
2172	85x23	6x70			23		231231		6	20	120	
2172	Ø40/30	3 000	Rör		MS		231231		21	20	420	
2172	Ø65/49	2x3000	Rör		MS		231231		70	20	1400	240617
2172	Ø10	180	KD		3		231231		1	20	20	
2172	Ø10	13x225	KD		3		250521		5	20	100	
2172	120x60	150			24		231231		5	20	100	
2172		1 900			MS		231231	1020mm THP2014APL 1680P1, Prognos	72	20	1440	240513
2172	70x15		Blästrad Grehns mtrl t.sidobalkar				231231		0	0	0	
2172	Ø20	230	slipat h6		7		241121		1	20	20	
2260	4K20	800			11		231231		3	100	300	
2511	Ø71,4	45			12		231231		1	35	35	
2511	Ø61	70			18		231231		1	35	35	
2511	Ø71,4	400			18		241128		5	35	175	
2541	Ø168	5x44			20		231231		38	35	1330	
2541	Ø168	7x20	SK.SV.		20		231231		20	35	700	
2541	Ø163	6x10			20		231231		8	35	280	
2541	Ø168	3x10			20		231231		4	35	140	
4140	20x20	3 000			MS		231231		3	80	240	
4140	20x20	3 000			MS		231231		3	80	240	
5083	Ø60	980			1		231231		8	80	640	
5170	Ø75	475			14		231231		16	80	1280	
5170	Ø22	700			7		250206		4	80	320	
5204	Ø18	810			25		231231		2	120	240	

5204	42x42	280			25		231231		4	120	480	
5204	Ø45x28	1 000			10		241206		8	120	960	241206
5204	Ø56x38	1 510			25		231231		16	120	1920	
5204	Ø112/88	878			10		231231		26	120	3120	
5204	Ø117/73	70			10		231231		2	120	240	
5204	Ø52/87	85+40			10		231231		4	120	480	
5204	Ø56/29	900	Rör		10		241206		11	120	1320	241206
5204	Ø172/138	28	Rör		20		231231		2	120	240	
7075	Ø100	75			4		231231		2	80	160	
(S235) 1312	80x15	5x330			20		231231		5	20	100	
(S235) 1312	20x10	4x270			3		231231		2	20	40	
?	200/140	520			MS1		240418		70	20	1400	
0125	Ø80	3x100			6		231231		12	35	420	
0125	Ø90	50			6		231231		3	35	105	
0125	Ø90	2x90			6		231231		9	35	315	
0217	45x45	970			18		231231		15	35	42	
0727	Ø30,8	2 300			MS		241220	13565-01-99, 250314	14	35	490	241220
0727	100x55	4x230			27		231231		40	35	1400	
0727	100x55	65			15		231231		1	35	35	
0727	50x100	220			19		231231		5	35	175	
0727	Ø70	180			16		250423		4	35	140	
0727	Ø85	2 200			MS		231231		90	35	3150	
0732	Ø120	2 200			MS		231231		195	35	6825	240513
1.0765+C	Ø20	2 050	KD h9		44		240822		9	20	180	240822
1.4021	Ø40	540			5		231231		6	80	900	
1.4021	Ø35	640			25		241218		5	80	400	241218
1.4057	Ø22	540			5		241220		1	80	80	241220
1.4057	Ø22	1 140			42		241206		3	80	240	241206
1.4057	Ø22	1 430			42		241206		7	80	560	241206
1.4057	Ø19	3 900			MS		231231		9	80	720	240617
1.4057	Ø16	2 000			MS		231231		3	80	240	240617
1.4057	Ø22	1 580			MS		231231		5	80	400	240513
1.4057	Ø16	700			5		231231		2	80	160	
1.4057	Ø60	420			7		231231		10	80	800	
1.4057	Ø51	380			5		231231		6	80	480	
1.4057	Ø60	220			7		231231		5	80	400	
1.4057	Ø22	2 000			MS		231231		6	80	480	240513
1.4057	Ø22	1 760			MS		231231		6	80	480	240513
1.4057	Ø90	150			14		231231		5	80	400	
1.4057	Ø22	3 000			MS		231231		9	80	720	240513
1.4057	Ø25	5 500			MS	240196	240411		24	80	1920	
1.4112	Ø40	740			524		241219		4	65	260	241219
1.4112	Ø40	1 000			524		241219		5	65	325	241219
1.4112	Ø35	160			7		231231		1	65	65	
1.4112	Ø35	180			7		231231		1	65	65	
1.4301	70x10	690			17		240711		4	65	260	
1.4301	80x15	1 020			523		241218		10	65	650	241218
1.4301	Ø71/36	830+100	Rör		7		231231		19	65	1235	
1.4301	80x80L	630	Vinkel		7		231231		16	65	1040	
1.4301	L100x100	200	Vinkel		7		231231		0,2	65	13	
1.4301	Ø70x55	95	rör		7		231231		1	65	65	
1.4301	80x20	8x300			27		231231		20	65	1300	
1.4301	60x20	670			523		241218		6	65	390	241218
1.4301	20x6	580			523		241218		4	65	260	241218
1.4301	25x25	65			7		231231		0,1	65	6,5	
1.4301	Ø115	20			4		231231		2	65	130	
1.4301	80x20	270			27		231231		1	65	65	
1.4301	35x15	980	Draget		523		241218		8	65	520	241218
1.4301	100x20	230	dr h11		2		231231		3	65	195	
1.4301	80x20	1 260	DR h11		MS		241218		16	65	1040	241218
1.4301	60x20	2x480	Dr H 11		523		241220		8	65	520	241220
1.4301	70x10	595			17		231231		3	65	195	
1.4301	70x10	645			523		241218		4	65	260	241218
1.4301	40x15	650			MS		241219		3	65	195	241219
1.4301	40x40	1 700	GL.bet		MS		241220		20	65	1300	241220
1.4301	70x10	820	Skadad		523		241218		5	65	325	241218
1.4301	100x20	490	KD/krokig		523		241218		8	65	520	241218
1.4301	Ø42,4x3,2	3x360	Rör		4		231231		4	65	260	
1.4301	Ø42,4x3,2	3x370	Rör		3		231231		3	65	195	
1.4301	40x4	2 530			MS		231231		3	65	195	240617
1.4301	80x20	2x920			23		241206		46	65	2990	241206
1.4301	Ø42,4x3,2	6x350	Rör		4		231231		6	65	390	
1.4301	Ø42,4x3,2	2x340	Rör		4		231231		2	65	130	
1.4301	Ø185	20			20		231231		5	65	325	
1.4301	60x50	2x80			11		231231		4	65	260	

1.4301	70x10	610	KD		523		241218		3	65	195	241218
1.4301	70x10	490	KD		17		231231		3	65	195	
1.4301	70x10	585	KD		17		231231		3	65	195	
1.4301	40x40x2	695	rör slipat		39		231231		3	65	195	
1.4301	40x40x2	590	rör slipat		39		231231		2	65	130	
1.4301	40x40x2	3 640	rör slipat		MS		231231		7	65	455	240617
1.4301	15x15x1,5	1 600	rör slipat		MS		241219		2	65	130	241219
1.4301	20x8	1 700			44		241218		4	65	260	241218
1.4301	Ø42,4x3,2	760	Rör		524		241220		2	65	130	241220
1.4301	30x30x1,5	4x6000	4 kant Rör		MS		231231		20	65	1300	
1.4301	15x15x1,5	3x6000	4 kant Rör		MS		231231		10	65	650	
1.4301	Ø10	3 000		Heat 276378	MS		231231		2	65	130	240617
1.4301	Ø10	2 400		Heat 276378	MS		231231		2	65	130	240617
1.4301	Ø71/36	1 050	Rör		524		241219		19	65	1235	241219
1.4301	Ø71/36	490	Rör		16		231231		5	65	325	
1.4301	Ø190	230			MS		241206		52	65	3380	241206
1.4301	100x100x10	3 000	Vinkeljärn		MS		231231		240	65	15600	240515
1.4301	Ø42,4x3,2	4x730	Rör		13		241206		4	65	260	241206
1.4301	80x20	880			523		241219		14	65	910	241219
1.4301	80x20	280	slipat		4		231231		4	65	260	
1.4301	80x20	340	DR h11		4		231231		6	65	390	
1.4301	Ø42,4x3,2	500	Rör		13		241206		1	65	65	241206
1.4301	20x15	5 400		2017-27151	MS		231231		13	65	845	
1.4301	Ø30	920	Slipat h9		42		231231		7	65	455	
1.4301	30x15	3x1500		91001959/7 DD047 905664	MS		240221		16	65	1040	240513
1.4301	Ø16	2x3000	Slipat h9		MS		241028		10	65	650	241028
1.4301	Ø48,3/2,0	2x145	Rör		5		231231		1	65	65	
1.4301	Ø12	6x230	Slipat h9		12		231231		2	65	130	
1.4301	Ø12	3x2950	Slipat h9		MS		231231		7	65	455	
1.4301	Ø12	3 000	Slipat h9		MS		231231		3	65	195	
1.4301	Ø30	900	Slipat h9		524		241220		8	65	520	241220
1.4301	70x10	430			17		240711		2	65	130	240711
1.4301	Ø16	1 520	Slipat h9		41		241021		15	65	975	241021
1.4305	SK27	2 000	Sexkant		MS		241220		9	65	585	241220
1.4305	Ø12,7	3x3000	Sexkant		MS		231231		9	65	585	240617
1.4305	Ø20	1 690			MS		231231		4	65	260	240513
1.4305	Ø38	1 400		2021039363 Heat 173608	41		241219		12	65	780	241219
1.4305	Ø38	2x5500		2021039363 Heat 173608	MS		231231		110	65	7150	
1.4305	Ø45	3x410			19		240520		10	65	650	240514
1.4305	Ø45	500			513		241218		5	65	325	241218
1.4305	Ø110	100		A2207260229 6Q813 904286	20		231231		6	65	390	
1.4305	Ø38	310		2021039363 Heat 173608	524		250203		3	65	195	250203
1.4305	Ø8	2 500		A2203170291 6P442 140487	MS		231231		2	65	130	
1.4305	Ø15	2 400		A2206150104 6Q752 142127	41		250401		6	65	390	
1.4305	Ø110	125		2023005286 Heat 278290 145264	9		240912		4	65	260	240912
1.4307	Ø16 h9	2x3000	KD		MS		231231		5	65	325	240617
1.4307	Ø25	2x2000			MS		231231		15	65	975	240617
1.4307	Ø25	1 220			MS		231231		5	65	325	240617
1.4307	Ø12	6x3000	Blankdragen	A2206220206 6P984 142285	MS		231231		17	65	1105	240515
1.4307	Ø12	10x200	Blankdragen	A2206220206 6P984 142285	5		231231		4	65	260	
1.4307	Ø12	6 000	Blankdragen	A2205310424 6Q925 140082	MS		231231		4	65	260	
1.4307	Ø12	4x2650	Blankdragen		MS		231231		8	65	520	240618
1.4307	Ø12	2 800	Blankdragen		MS		231231		4	65	260	240618
1.4307	Ø12	2x2900	Blankdragen h9	A2206220253 6Q928 142243	44		231231		4	65	260	
1.4307	Ø12	16x3000	Blankdragen h9	A2305120109 6U902 149216	43		231231		43	65	2795	
1.4307	Ø15	2 700	Blankdragen	A2209270341 6R888 904417	43		231231		4	65	260	
1.4307	Ø100	700		LP 2196-23 E231114 150285	513		241209		35	65	2275	241209
1.4305	Ø20	1 400	Blankdragen	910019881/2 Heat DC406 147530	41		241111		4	65	260	
1.4307	15x6	2x850	Klippt av plåt	10524199642 C00108423DK	45	240392	240213		2	65	130	
1.4404	Ø112/80	455	Rör		524		241219		18	80	1440	241219
1.4404	90/50	2x45			24		250210		2	80	160	

1.4404	Ø5	4x3000	Cert finns		MS		231231		2	80	160	
1.4404	10x1	120 st L=87	Rör		24		240911		5	80	400	
1.4404	Ø4	7x3000			MS		231231		4	80	320	240617
1.4404	Ø71/36	575	rör		524		250305		15	80	1200	250305
1.4404	Ø6x1,5	3 300	rör		MS		231231		1	80	80	240617
1.4404	Ø6x1,5	10x84mm	rör		1		231231		0,2	80	16	
1.4404	50x20	5 100	S-19195Valsat		MS		241217		40	80	3200	241217
1.4404	Ø118/63	150	56655		27		240521		6	80	480	240514
1.4404	Ø85	8x20			14		231231		8	80	640	
1.4404	50x20	1 510		528522/2020 Heat 281557	MS		250401	1180mm 01- 4160130, 250427	15	80	1200	250401
1.4404	Ø22	130		MEST499905 / 2019 / Heat 281232	7		240422		1	80	80	
1.4404	Ø120	880		MEST563730 / 2020 / Heat 275091	MS		250626		70	80	5600	250626
1.4404	60x30	2 800		75028563/24 Heat 60313	MS		231231		48	80	3840	
1.4404	Ø60,2	230		117166	17		231231		3	80	240	
1.4404	50x25	3 600			MS		250204		30	80	2400	
1.4404	Ø85	600		2021043318 Heat 173736	513		241209		27	80	2160	241209
1.4404	Ø42	500			20		231231		5	80	400	
1.4404	Ø6	290			1		241118		0,1	80	8	241118
1.4404	25x25	480		Mest 852159/2021/ Heat 283117 varmvalsad	3		240418		2	80	160	
1.4404	Ø120	70		A2012020165 6D899	12		231231		3	80	240	
1.4404	12x12	1 660		A2107280327 6J413	44		241206		7	80	560	241206
1.4404	Ø42	280			20		231231		2	80	160	
1.4404	Ø110	220		A2408290344 7B034 C00122917DK A2303200252	511		250401		15	80	1200	250401
1.4404	Ø85	14x183		6T872 148894	261		250416		110	80	8800	250328
1.4404	Ø85	1 280		A2310190180 6X354 C00097051DK	518		241210		50	80	4000	241210
1.4404	Ø270	47		MEST087186 / 2023 / Heat 291994	MS		250304		21	80	1680	250303
1.4404	Ø270	240		MEST087186 / 2023 / Heat 291994	MS		250304		107	80	8560	250304
1.4404	Ø55	2 400		2023033298 Heat 372648 148642	MS		250514		40	80	3200	250514
1.4404	Ø85	2x1280		A2310190181 6X354 C00097053DK	518		241210		114	80	9120	241210
1.4404	Ø85	230		A2310190181 6X354 C00097053DK	518		241210		10	80	800	241210
1.4404	Ø60	2x600		A2203310483 6P855 140948	512		241209		25	80	2000	241209
1.4404	Ø85	1 170		A2307311084 6W262 C00093432DK	518		241210		52	80	4160	241210
1.4404	Ø12	1 460		A2310120202 Heat 6X694 C00096756DK	44		250318		1	80	80	250318
1.4404	Ø85	1 260		A2307311084 6W262 C00093432DK	519		241210		55	80	4400	241210
1.4404	Ø10	2 350	Blankdragen	A2401250224 6Y837 C00105785DK	45		241007		1	80	80	
1.4404	Ø15	4 500	Blankdragen	A2310260188 6X695 C00097422DK	45		250221		8	80	640	250221
1.4404	Ø85	23x183		2023002512 Heat 274191	G		250526		185	80	14800	250526
1.4404	Ø85	3 000	Sparas till ev.kass	2024011753 Heat 472449 906559	MS		240514		170	80	13600	241216
1.4404	Ø65	3x280		A2203310483 6P855 140948	511		241209		15	80	1200	241209
1.4404	Ø65	240		A2203310483 6P855 140948	511		250127		4	80	320	250127
1.4404	Ø48	2x450			16		240627		10	80	800	240627
1.4404	Ø32	1 400		A2206290326 Heat 6R137 142511	44		250120		19	80	1520	250227
1.4404	Ø60,2	600		A2203310483 6P855 140948	512		241209		6	80	480	241209
1.4404	Ø60,2	380		A2203310483 6P855 140948	512		241209		4	80	320	241209

1.4404	Ø65	330		A2203310483 6P855 140948	511		241209		5	80	400	241209
1.4404	Ø60	2x385		A2203310483 6P855 140948	512		241209		10	80	800	241209
1.4404	Ø60	250		A2203310483 6P855 140948	512		241209		4	80	320	241209
1.4404	Ø46	240			16		250115		2	80	160	250115
1.4404	Ø65	5x280		A2206220294 6Q680 142206	511		241209		25	80	2000	241209
1.4404	Ø60	3x600		A2206220294 6Q680 142206	512		241218		24	80	1920	241218
1.4404	Ø60	400		A2206220294 6Q680 142206	16		240306		6	80	480	240904
1.4404	Ø125	140		45393631 Heat SR0981-20 907400	MS		241206		5	80	400	241206
1.4404	Ø124	105			9		240924		6	80	480	240924
1.4404	Ø270	300		3345 Heat 71835 150420	MS		240926		135	80	10800	250310
1.4404	Ø85	970		A2404180157 6Z736 C00112923DK	703		241220		43	80	3440	241220
1.4404	Ø85	2x300		A2404180157 6Z736 C00112923DK	703		241220		15	80	1200	241220
1.4404	Ø155	49		45375102 SQ2482-A0 151114	10		241018		6	80	480	241018
1.4404 1.4401	Ø12x1,5	4 980	rör Blank- glödgdad	MTCPL/2023-24/ 0917A4	45	240214	240418		2	80	160	
1.4410	Ø120	70		MEST597371 / 2020 / Heat 282591	2		231231		2	80	160	
1.4418	Ø80	270		2021043318 Heat 173736	9		231231		10	80	800	
1.4418	Ø50	2x1000	Nitronit		524		241219	x	30	80	2400	241219
1.4418	Ø50	420			6		231231	x	5	80	400	
1.4418QT76 0	Ø30	600		Heat 715525 Cert nr 81789881 000010	523		241219		4	80	320	241219
1.4418QT76 0	Ø30	2 000		Heat 715525 Cert nr 81789881 000010	MS		231231		12	80	960	240515
1.4418QT90 0	Ø86,4	170		Heat 277614	7		231231		5	80	400	
1.4418QT900	Ø51,2	1 430		2020010584 Heat 973293 126748	41		241014		15	80	1200	
1.4418QT900	Ø46	780+180			19		231231		10	80	800	
1.4418QT900	Ø65	6 000			MS		231231		150	80	12000	240617
1.4418QT900	Ø65	360			13		250416		5	80	400	
1.4418QT900	Ø41	3 500		MEST006977 / 2024 / Heat 292298	41		250115		38	80	3040	250115
1.4418QT900	Ø81,4	2 060		MEST045542 / 2023 / Heat 290205	MS		250422		85	80	6800	250422
1.4432	Ø10	6x3000		376677 Heat 470310	MS		240429		14	65	910	240617
1.4432	Ø10	860		376677 Heat 470310	5		241219		1	65	65	241219
1.4436	Ø40	1 000			524		241220		10	80	800	241220
1.4436	6K 13	450			7		231231		1	80	80	
1.4436	6K12,5	400			7		231231		4	80	320	
1.4436	6K 17	260			7		231231		7	80	560	
1.4436	35x35	2 050			MS		231231		20	80	1600	240617
1.4436	6K 14	340			7		231231		3	80	240	
1.4436	6K 10	270			7		231231		1	80	80	
1.4436	Ø12	700			5		241219		1	80	80	241219
1.4436	Ø12	1 000			5		241220		2	80	160	241220
1.4460	Ø18	900			5		231231		2	65	130	
1.4460	Ø31	24X180			24		231231		25	65	1625	
1.4460	Ø66,2	4x100			12		231231		12	65	780	
1.4460	Ø117	39			12		231231		3,3	65	214,5	
1.4460	Ø66,2	90			12		231231		2,5	65	162,5	
1.4460	Ø66,2	2x85			12		231231		5	65	325	
1.4460	Ø66,2	90+140			12		231231		6	65	390	
1.4460	Ø96,4	120			12		231231		6	65	390	
1.4460	Ø31	8x275			18		231231		14	65	910	
1.4460	Ø61,2	347			1		231231		5	65	325	
1.4460	Ø66,2	2x100	Cert finns		12		231231		6	65	390	
1.4460	Ø46	2x100			12		231231		4	65	260	
1.4460	Ø66,2	100			12		231231		3	65	195	
1.4460	Ø76,4	100			13		231231		4	65	260	
1.4460	Ø102	100		Heat 276733	15		231231		5	65	325	
1.4460	Ø66,2	4 400			MS		231231		119	65	7735	240618
1.4460	Ø41	3 200			MS		231231		25	65	1625	240618
1.4460	Ø20	1000+900			5		231231		5	65	325	
1.4460	Ø71,4	720			513		241209		23	65	1495	241209

1.4460	Ø41	3 700			MS	231231		30	65	1950	240618
1.4460	Ø61,2	6 000			MS	231231		140	65	9100	240618
1.4460	Ø31	19x280		MEST690105 / 2021 / Heat 433831	15	231231		20	65	1300	
1.4460	Ø31	3x270		MEST690105 / 2021 / Heat 433831	15	231231		3	65	195	
1.4460	Ø163	130		MEST410667/2019/ Heat 431324	MS	241206		25	65	1625	241206
1.4460	Ø31	18x270		174154	8	231231		20	65	1300	
1.4462	Ø70	55			5	231231		2	65	130	
1.4462	Ø40	230+115			4	231231		3,5	65	227,5	
1.4462	Ø106/71	190+120	Rör		13	231231		7	65	455	
1.4462	Ø45	520			15	240520		6	65	390	240520
1.4462	Ø20	580		MEST417819/2019 Heat 431852	9	241125		2	65	130	241125
1.4462	Ø20	630		MEST417819/2019 Heat 431852	9	240913		2	65	130	240912
1.4539	Ø70	1 040			524	241219		32	65	2080	241219
1.4539	Ø50	670			11	231231	x	10	65	650	
1.4539	Ø40	990			524	241219		10	65	650	241219
1.4539	Ø125	28			20	231231		3	65	195	
1.4539	Ø125	2x34			20	231231		7	65	455	
1.4541	Ø40	3 100			MS	231231		30	65	1950	240513
1.4541	Ø150	5x25			20	231231		17	65	1105	
1.4542	Ø20	3 000	dr h9		MS	231231		6	65	390	240617
1.4542	Ø92	120		Heat 276450	15	231231		5	65	325	
1.4542 17-4 PH	Ø35	1 780			41	241219		12	65	780	241219
1.4542 17-4 PH	Ø41,27	5 000		MEST127820/2023/ Heat 291792	MS	231231		55	65	3575	
1.4542 17-4 PH	Ø92	60		MEAT374602/2019/ Heat 276277	11	231231		2	65	130	
1.4542 17-4 PH	Ø92	80		MEAT374602/2019/ Heat 276277	11	231231		3	65	195	
1.4571	Ø90	210			13	231231		11	65	715	
1.4571	90x90x9	4 500	V-järn-varmvals	910017940/14	MS	231231		55	65	3575	240515
1.4571	Ø57/5	890	rör	2021/14354 Heat 10187	524	250305		5	65	325	250305
1.7218	Ø71,4	120	Skalat		16	231231		3	32	90	
1.7227	Ø91,4	150	QT skalat		6	240923		7	85	595	240923
1.7227	Ø190	350	QT skalat		MS	240923		78	85	6630	240923
1.7227	Ø220	410	QT skalat		MS	240924		120	85	10200	240924
1312	Ø35/2	4 000	Rör/E235		MS	231231		7	20	140	
1312	60x60x8	1 600	L-profil		MS	241218		5	20	100	241218
1312	100x10	1 500			MS	231231		12	20	240	240513
1312	60x12	450			523	241218		2,5	20	50	241218
1312	60x10	2x6000			37	231231		57	20	30	
1312	Ø22	1 500			41	241219		7	20	140	241219
1312	60x10	820			523	241218		1	20	20	241218
1312	70x15	2 330			MS	231231		19	20	380	
2172	Ø102/95	320	Rör		6	231231		3	20	60	
1312	250x15	595			24	231231		18	20	360	
1312	250x15	4x560			24	231231		66	20	1320	
1312	250x15	2 100			MS	231231		62	20	1240	
1312	250x15	2x670			24	231231		39	20	780	
15-5 ph	Ø31,75	2 050		00663437/2 2R154W	MS	241220		15	70	1050	241220
15-5 ph	Ø31,75	1 030		00663437/2 2R154W	524	241220		8	70	560	241220
15-5 ph 1025	60x60	520		S 1360	523	241220		8	70	560	241220
165CrM	76x16,4	7x1008			22	231231		77	60	4620	
165CrM	76x16,4	270			22	231231		3	60	180	
165CrM	76x16,4	950			22	231231		5	60	300	
1672 C45	Ø25	190			14	231231		1	25	25	
1672 C45	Ø25	2x1000			26	241206		10	25	250	241206
1672 C45	Ø25	2x330			26	241206		5	25	125	241206
1672 C45	Ø25	680			26	241206		3	25	75	241206
1672 C45	Ø20	5x121			27	241206		3	25	75	241206
1672 C45	Ø35	6 000		CRL215515049 Heat 3091852	MS	231231		45	25	1125	
1672 C45	Ø12	6 000	h8/h9 slipad el dragen		MS	231231		6	25	150	
1672 C45	Ø12	1 200	h8/slipad		44	231231		2	25	50	

1672 C45	Ø16	2x2400	h8/slipad		44		231231		10	25	250	
1672 C45	Ø12	570	h8/slipad		6		240227		0,5	25	12,5	
1672 C45	Ø35	3 800		CRL215515049 Heat 3091852	MS		240422		25	25	625	
1672 C45	Ø35	480		CRL215515049 Heat 3091852	5		240516		3	25	75	
2024-T351	30x25	7x102		0331478	525		241219		1	80	80	241219
2024-T351	50x102	3x182		89306594	525		241219		8	80	640	241219
2024-T351	20x127	3x552		89306594	525		241219		29	80	2320	241219
2024-T351	80x80	165		830676	9		250204		1	80	80	250204
2142	Ø12	26x1000	Slpat h8		26		231231		23	20	460	
2142	Ø12	570	Slpat h8		26		231231		1	20	20	
2142	Ø16	500			26		231231		1	20	20	
2142	Ø16	2x280			26		241021		2	20	40	241021
2142	Ø16	1 120			41		231231		2	20	40	
2142	Ø25				14		231231		2	20	40	
2142	Ø25	3 000	KD h9		44		250522		12	20	240	
2172	60x50	39			4		231231		1	20	20	
2172	Ø28/6	2x859	Rör		5		231231		2	20	40	
2172	60x10	16x120			20		231231		9	20	180	
2172	25x50	70			27		231231		1	20	20	
2172	4x40x70	320	RÖR		27		231231		1	20	20	
2172	60x17	11x100			27		231231		10	20	200	
2172	120x60	60			13		231231		3	20	60	
2172	Ø80/65	100	Rör		9		231231		1,5	20	30	
2172	140x140	2x135			24		231231		30	20	600	
2172	4x40x70	470			27		231231		2	20	40	
2172	55x65	120			27		231231		1,5	20	30	
2172	60x120	50			27		231231		1	20	20	
2172	50x85	85			27		231231		1	20	20	
2172	20x100	6x30			27		231231		1,5	20	30	
2172	15x60	3x70			27		231231		1	20	20	
2172	43x60	120			27		231231		1	20	20	
2172	15x80	4x38			27		231231		1	20	20	
2172	10x75	200			27		231231		1	20	20	
2172	20x150	110			27		231231		1	20	20	
2172	30x60	185			27		231231		1	20	20	
2172	40x40	8x43			27		231231		5	20	100	
2172	120x15	52x197	Skuret ämne		27		231231		138	20	2760	
2172	113x30	2x63			27		250404		1	20	20	
2172	105x40	100			17		231231		5	20	100	
2172	40x15	4x970			523		241219		18	20	360	241219
2172	Ø32x2	720	Rör DIN 2393		23		241206		1	20	20	241206
2172	Ø152,4/10	2 000	rör		MS		241114		71	20	1420	
2172	Ø140/90	4 000	rör		MS		241105		330	20	6600	241105
2172	60x20	6 000			MS		231231		56	20	1120	
2172	60x20	3 350			MS		231231		35	20	700	
2172	Ø32x2	6 000	Rör DIN 2393		MS		231231		9	20	180	240617
2172	Ø32x2	3 650	Rör DIN 2393		MS		231231		5	20	100	240617
2172	Ø32	730	KD		25		241218		3	20	60	241218
2172	Ø318/30	600	rör		MS		241212		128	20	2560	241212
2172	Ø152,4/12,5	3 000	rör		MS		241022		144	20	2880	241022
2172	Ø85	10x25			9		231231		10	20	200	
2172	35x35	3 980			MS		250513		45	20	900	250513
2172	60x30	3 400			MS		231231		48	20	960	240515
2172	130x130	2 870			MS		240305		280	20	5600	240305
2172	90x90	560			MS		241220		35	20	700	241220
2172	90x15	2 200			MS		231231		24	20	480	240513
2172	150x20	1 030			MS		241218		40	20	800	241218
2172	Ø80	1 700			MS		241126		115	20	2300	241121
2172	32x6	1 650	rör kd		MS		231231		7	20	140	
2172	38x7	2 340	rör kd		MS		231231		15	20	300	
2172	60x30	3x6000			MS		231231		240	20	4800	240515
2172	75x75	4 650			MS		240415		220	20	4400	
2172	75x75	4 850			MS		231231		214	20	4280	240515
2172	Ø360	120			MS		231231		96	20	1920	240513
2172	20x15	3x1240	KD		MS		250417		15	20	300	250417
2172	60x60	1 900			MS		231231		80	20	1600	240513
2172	Ø105	165			10		231231		7	20	140	
2172	Ø170	330			MS		241219		40	20	800	241219
2172	Ø170	352			MS		241219		40	20	800	241219
2172	140x140	65			24		231231		8	20	160	
2172	Ø100	990			MS		240222		75	20	1500	240513
2172	Ø90x8	490	Push tube rör krom		517		241210		3	20	60	241210

2172	Ø90x8	1 085	Push tube rör krom		517	241210		10	20	200	241210
2172	Ø90x8	900	Push tube rör krom		517	241210		8	20	160	241210
2172	60x50	3 930	Blästrad		41	240404		95	20	1900	240617
2172	200x200	95			504	250204		30	20	600	250204
2172	120x48	8x145			27	240305		32	20	640	
2172	Ø35	3 000	KD		MS	240408		24	20	480	
2172	Ø35	1 200	KD		MS	240408		9	20	180	
2172	70x70	6 000			MS	240418		234	20	4680	240515
2172	Ø200	70			MS	240814		15	20	300	240814
2172	Ø250	70			MS	241218		10	20	200	241218
2172	Ø130x95	790	Rör		MS	240528	601596, Prognos	50	20	1000	
2172	Ø155	160			504	241205		10	20	200	241205
2172	Ø160	160			MS	240702		25	20	500	240702
2172	Ø160	150			MS	240703		23	20	460	240703
2172	Ø160	140			MS	240705		22	20	440	240705
2172	Ø160	100			MS	240708		15	20	300	240708
2172	100x100	490			MS	241014		40	20	800	241014
2172	Ø85	40 x 96			505	241205		150	20	3000	241205
2172	Ø85/60	3x96	rör E470		6	240321		8	20	160	
2172	Ø85/60	3 600	rör E470		MS	240521		90	20	1800	240515
2225	Ø22,8	2x1000			25	241218		12	20	240	241218
2225	Ø22,8	880			25	241218		4	20	80	241218
2260	Ø12,9	1 400			15	231231		1	100	100	
2260	Ø18	4 000			MS	231231		7	100	700	
2260	125,4x8,4	22x420	Slipat		4	250218		70	100	7000	
2260	40,4x20,4	8x40	Slipat		4	231231		2	100	200	
2260	125,4x8,4	350	Slipat		4	231231		2	100	200	
2260	Ø12	780			18	231231		1	100	100	
2260	Ø66	170			19	240325		3	100	300	
2260	32x10	22x410	Slipat		8	231231		27	100	2700	
2260	40x10	6x410	Slipat		8	231231		10	100	1000	
2260	30x8	11x603	Slipat		20	231231		6	100	600	
2260	32x10	200	Slipat		8	231231		1	100	100	
2260	40x8	2x475	Slipat		2	231231		3	100	300	
2260	100x8	14x400	slipat		23	231231		16	100	1600	
2260	100,4x6,4	4x420	slipat		23	231231		8	100	800	
2260	100,4x8,4	3x420	slipat		23	231231		8	100	800	
2260	32,4x10,4	5x420	slipat		8	231231		8	100	800	
2260	32x10	10x390	Slipat		8	231231		20	100	2000	
2260	100x6	5x400	Slipat		4	231231		8	100	800	
2260	20x20	2x1030	Slipat		19	231231		6	100	600	
2260	32x10	21x410	Slipat		20	231231		15	100	1500	
2260	100x6	16x400	Slipat		20	231231		20	100	2000	
2260	32x10	10x390	Slipat		20	231231		5	100	500	
2260	Ø55,8	3 400			MS	250617		70	100	7000	250617
2260	Ø81	2x4000			MS	231231		367	100	36700	240515
2260	Ø76	2x2950			MS	231231		219	100	21900	240515
2260	Ø91,5	770			MS	241219		40	100	4000	241219
2260	Ø91,5	3 300			MS	231231		170	100	17000	240513
2260	Ø161,5	40	Varm.val		MS	241218		5	100	500	241218
2260	Ø210	40	Varm.val		MS	241218		10	100	1000	241218
2290 (1.8550)	Ø80	700			524	231231		15	85	1275	241219
2290(1.8550)	Ø60	1 300		2428037/1959202/bit	MS	231231		35	85	2975	240513
2290(1.8550)	Ø60	2x600		2428037/1959202/bit	9	231231		12	85	1020	
2290(1.8550)	Ø85	1 300			MS	241219		58	85	4930	241219
2290(1.8550)	Ø85	700			MS	241219		26	85	2210	241219
2541	Ø163	15			20	231231		4	35	140	
2541	Ø163	74			20	231231		5	35	175	
2541	Ø163	15			20	231231		1	35	35	
2541	Ø220	12			20	231231		1	35	35	
2541	Ø10	780			MS	231231		1	35	35	240513
2541	Ø81,4	2 600			MS	241128		130	35	4550	241128
2541	Ø25,8	2x150	Skalat h12		4	240408		1	35	35	
2541	Ø41	570	Skalat h12		4	240408		5	35	175	
2541	Ø170	87	Varmvals		MS	241218		154	35	5390	241218
2541	Ø41	170	Skalat h12		6	250626		4	35	140	240820
6082	Ø20	2 700			MS	240617		2	80	160	240617
6082	Ø20	2 600			MS	240617		2	80	160	240617
6082	Ø20	3 000			MS	240617		2	80	160	240617
500-7	135x85	2 000			MS	231231		170	50	8500	240515
5083	305x30	305			G	231231		4	80	320	
5083	195x30	1x195			G	231231		10	80	800	
5083 H112	Ø50	625		6980	14	231231		4	80	320	
5170	Ø90	2x290			15	231231		29	80	30	

5170	Ø15	2x1000			7		231231		4	80	320	
5170	Ø15	900			7		231231		2	80	160	
5170	6K15	1 000			7		231231		4	80	320	
5170	Ø50	700			7		231231	x	8	80	640	
5204	Ø152/128	50	rör		10		231231		3	120	360	
5204	Ø182/158	54	rör		10		231231		4	120	480	
5204	Ø162/128	52	rör		10		231231		3	120	360	
5204	Ø142/116	47			10		231231		2	120	240	
5204	Ø110/83	75			10		231231		1	120	120	
600-3	Ø85	580			MS		241218		26	20	520	241218
6060-T6	50x50x3	2x880			4		231231		2	80	160	
6060-T6	50x50x3	2x830			4		231231		2	80	160	
6060-T6	50x50x3	6x870			8		231231		6	80	480	
6060-T6	120x60	4 000		7 del 8/01/2021	MS		231231		78	80	6240	240618
6060-T6	150x12	1 400		112 del 1/02/2021	700		241218		21	80	1680	241218
6060-T6	30x30x3	4 900	L-profil		MS		231231		3	80	240	240618
6060-T6	25x20x2	630	EN 10 204/3.1		2		231231		1	80	80	
6060-T6	25x20x2	6 000		38501.47204 / 2022 charge R22045641	MS		231231		3	80	240	240617
6060-T6	20x20x2	4 000	L-profil	76775.165889/2023)	MS		231231		1	80	80	
6060-T6	40x20x3	705		100239.279284_2024	2	240164	240321		0,2	80	16	
6060-T6	30x30x3	420		99136.271970_2024	2	240166	240321		0,1	80	8	
6082	104x49	210			4		231231		2	80	160	
6082	Ø90	2x166			24		250210		5	80	400	
6082	Ø105	3x97			510		250512		5	80	400	250512
6082	Ø20	2x2900			MS		231231		5	80	400	
6082	30x30x2	3 000	Vinkel		MS		231231		2	80	160	
6082	50x20x3	6 000	Vinkel		MS		231231		4	80	320	
6082-T651	20x178	2x248		4668 70365989	510		250401		8	80	640	250401
6082-T6511	Ø140	1 150		40350587	MS		241220		45	80	3600	241220
6082-T6	Ø110x90	390	Rör		14		231231		3,5	80	280	
6082-T6	Ø110x90	200	Rör		14		231231		2	80	160	
6082-T6	30x30x2	5 000	Rör		MS		231231		3	80	240	
6082-T6	60x60x2	2 690	Vinkel		MS		231231		4	80	320	
6082-T6	60x60	45			22		231231		1	80	80	
6082-T6	120x8	2x1202			700		241218		4	80	320	241218
6082-T6	60x50	55			22		231231		1	80	80	
6082-T6	60x35	9x73			22		231231		4	80	320	
6082-T6	15x6	2x395			22		241217		1	80	80	241217
6082-T6	20x5	3x395			22		231231		1	80	80	
6082-T6	60x15	5x70			22		231231		1	80	80	
6082-T6	50x100	45			22		231231		0,5	80	40	
6082-T6	60x50	45			22		231231		0,5	80	40	
6082-T6	80x15	2 400			MS		231231		15	80	1200	241021
6082-T6	95x95	3x35			22		231231		4	80	2115	
6082-T6	80x15	1 350			MS		231231		6	80	480	240513
6082-T6	100x12	1 360		Cert 11190120	700		241218		8	80	640	241218
6082-T6	100x25	6x298			23		231231		15	80	1200	
6082-T6	80x15	2x6000			MS		231231		40	80	3200	240617
6082-T6	115x30	305			510		241206		2	80	160	241206
6082-T6	120x20	2 650			MS		231231		17	80	1360	
6082-T6	60x20	3 450		C53129043 / 24.09.20	MS		231231		7	80	560	240617
6082-T6	30x12	610		C52521001 25.08.20	2		240521		3	80	240	240513
6082-T6	30x30	2 200		3305 del 3/11/2020	MS		240313		7	80	560	
6082-T6	12x12	3 000		200008080 Heat H089	MS		231231		2	80	160	240617
6082-T6	12x12	1 800		200008080 Heat H089	MS		231231		2	80	160	240617
6082-T6	65x65	775		6739 / T7487	24		241217		8	80	1925	241217
6082-T6	200x15	1 490		005579-2020	700		241218		10	80	800	241218
6082-T6	100x50x5	3 450	L-profil47360		MS		231231		12	80	960	240617
6082-T6	100x15	185		C55750005 / 27.01.21	22		241206		1	80	80	241206
6082-T6	100x15	2x1970		C55750005 / 27.01.21	MS		231231		12	80	960	240513
6082-T6	120x12	3x6000		695847	MS		231231		70	80	5600	
6082-T6	60x20	1 940		C54399021 / 24.11.20	44		240408		7	80	560	
6082-T6	125x15	3x1140		200010656	523		241218		12	80	960	241218
6082-T6	80x50	5 350		C56566012 / 04.03.21	MS		240423		70	80	5600	240515
6082-T6	93x50	145			22		250129		5	80	400	
6082-T6	125x35	35x140		04-29601-21 25.02.2021	502		250203		95	80	7600	250203
6082-T6	80x80x6	7x6000	T-profil		MS		231231		100	80	8000	240614
6082-T6	25x25	7x220			4		231231		3	80	240	
6082-T6	25x25	2x270			4		240314		1	80	80	
6082-T6	60x60	245		1050679	24		250626		2	80	160	250626
6082-T6	60x40	1 200		DIN EN10204-3.1	43		250213		10	80	800	250213

6082-T6	Ø40x5	5 600		2100008049 Heat H355 Rör	MS		231231		8	80	640	
6082-T6	70x70	110			12		231231		3	80	240	
6082-T6	Ø170	65		89389	22		231231		4	80	280	
6082-T6	90x90	3 000			MS		231231		65	80	5200	
6082-T6	15x15	2x350		C78897009/ 23.04.24 1124319EU	14		250120		4	80	320	241113
6082-T6	20x15	3 920		C71467003/ 09.03.23	44		240605		4	80	320	240605
6082-T6	100x20	5 100		C66689018/03.06.22	MS		231231		27	80	2160	240515
6082-T6	200x15	3 500		362 del 28/03/2022	MS		250416		35	80	2800	250416
6082-T6	Ø130	80		93524	8		240904		0,5	80	40	240904
6082-T6	Ø135	80		3918-RIR2289414	22		231231		2	80	160	
6082-T6	Ø125	125		40239378	8		240822		3	80	240	
6082-T6	Ø125	275		40239378	22		241218		6	80	480	241218
6082-T6	70x70	74			22		250130		4	80	320	241206
6082-T6	Ø40x5	4 300		887634	MS		231231		7	80	560	
6082-T6	120x25	255		21.03.2022-10251	3		231231		2	80	160	
6082-T6	85x30	1 350		C65393029 / 04.04.22	700		241218		7	80	560	241218
6082-T6	95x95	100		18616 Heat 325717	22		250103		3	80	240	
6082-T6	140x40	235		11/22-0478	12		231231		4	80	320	
6082-T6	140x40	225		11/22-0478	9		250313		3	80	240	
6082-T6	70x30	1 700		C70226018_06.01.23	MS		250120		10	80	800	250120
6082-T6	Ø170	185		22215061501	510		250317		10	80	175	
6082-T6	Ø150	90		EXTTC202204000264	10		231231		3	80	210	
6082-T6	70x30	85			22		231231		0,2	80	16	
6082-T6	Ø10	3x300			13		231231		0,2	80	16	
6082-T6	Ø10	2x230			13		231231		0,2	80	16	
6082-T6	25x12	38x508		C71534007/13.03.23	510		250416		20	80	1600	250306
6082-T6	95x95	150		468 del 21_04_2022 Cast 012529 22_R0388	22		240320		2	80	2115	
6082-T6	50x50	3 000		40361488	MS		250207		21	80	1680	250207
6082-T6	100x35	125		126377	5		241217		0,5	80	40	241217
6082-T6	35x3	2x520		89312750	5		240103		1	80	80	
6082-T6	25x20	4 500		C75736002 08.11.23	MS		241119		7	80	560	
6082-T6	Ø200	53		102470	22		240903		2	80	160	240903
6082-T6	60x20	1 610		C54399021 / 24.11.20	44		240408		5	80	400	
6082-T6	Ø200	50		104579 Charge 23271A3	22	240097	240221		2	80	160	
6082-T6	95x95	120		468 del 21_04_2022 Cast 012529 22_R0388	22		240320		2	80	2115	
6082-T6	95x45	272		89323114	MS1		240415		2	80	160	
6082-T6	61x45	282		89323114	502		250203		2	80	160	250203
6082-T6	142x45	142		2233	24		240507		3	80	240	
6082-T6	140x45	84		2238	24		240508		1	80	80	
6082-T6	140x45	86		2238	24		240508		1	80	80	
6082-T6	70x70	1 890			MS		241024		10	80	800	241024
6082-T6	20x15	2 550		108956	44		240617		4	80	320	240617
6082-T6	120x8	330			9		240826		1	80	80	240826
6082-T6	Ø260	50		104574 Charge 23271A3	502		241205		3	80	240	241205
6082-T6	Ø180	2 200			MS		250317		180	80	14400	250317
6082-T6	80x15	2 100			MS		241021		14	80	1120	241021
6082-T6	Ø25	1 970		C76826009_10.01.24	46		241021		2	80	160	
6082-T6	70x30	15x131			510		241206		8	80	640	241206
6082-T6	Ø360	24-30mm			22		241023		3	80	240	
7075	Ø115	105			4		231231		2	80	160	
7075	120x 10	3x210			22		231231		6	80	480	
7075	Ø40	3x1230	T6		26		241206		12	80	960	241206
7075	Ø120	50	T6		22		231231		2	80	160	
7075	Ø40	4x1470	T6		MS		241206		20	80	1600	241206
7075	Ø130	165			22		231231		5	80	400	
7075	Ø40	730	T6		26		241206		3	80	240	241206
7075	Ø120	11x21			22		231231		12	80	960	
7075	120x30	510	T6	25380 Charge 2280817	12		231231		3	80	240	
7075	Ø12	3 000		10674 Charge 341079	MS		240111		1	80	80	
A-564/T630	Ø41,27	430			10		250204		16	35	560	250204
Ampco 18	Ø50,8	190			10		231231		2	100	200	
Ampco 18	Ø44,4	110			10		231231		1	100	100	
Astm A106 B	Ø26,7/2,9	6 000		4501873407 HeatP265GH Grade B L245/B	MS		231231		10	50	500	240617
Astm A106 B	Ø26,7/2,9	2 330			MS		231231		4	50	200	240617
Astm A106 B	Ø26,7/2,9	2 500		4501873407 HeatP265GH Grade B L245/B	MS		231231		7	50	350	240617
AW 626 R	Ø25	1 000			41		231231		1	55	55	240513
Bab	Ø39	40x1000			MS		241106		372	25	9300	241218
Bab	Ø42	16x1000			509		241206		77	25	1925	241206
Bab	Ø42	3 000			MS		231231		33	25	825	241218

Bab	Ø39	800			MS	241219		8	25	200	241219
Backelit	9,8x10,75	1 170			1	231231		9	60	540	
Backelit	9,8x10,75	390			1	231231		0,5	60	30	
Backelit	9,8x10,75	970			1	231231		9	60	540	
Backelit	Ø15	660			1	231231		8	60	480	
C95400	Ø52,2x30,5					231231		0	0	0	
CW602N	Ø25	3x1000			25	231231		12	100	1200	
CW602N	Ø25	3x950			25	231231		11	100	1100	
CW602N	Ø50	350	Cert finns		10	231231	x	6	100	600	
CW602N	Ø25	530			25	231231		2	100	200	
ETG100	Ø35	1 250			41	241219		10	30	300	241219
Gängstång	M10x1,25	3x1000			3	231231		6	18	108	
Gängstång	M10x1,25	760			3	231231		1	18	18	
Gängstång	M6	750	förzinkad		1	231231		0,3	45	13,5	
Gängstång	M12	1 000	förzinkad		1	231231		0,5	45	22,5	
Gängstång	M6 (8,8)	1 000	obehandlad		1	231231		0,5	45	22,5	
Gängstång	M6 (8,8)	530	obehandlad		1	231231		0,2	45	22,5	
Hastelloy C276	Ø40	250			2	231231		2,5	400	1000	
Impax	Ø90	160	Gr. Arb		5	231231		8	100	800	
JM3	Ø127/63	465	rör		MS	241219		45	120	5400	241219
JM7	Ø61,2	83			24	231231		1	120	120	
JM7-20	Ø10	270	cert		1	250227		0,2	120	24	
Kilstål	8x8	1 010			39	231231		1	35	35	
Kilstål	8x7	2x200			1	231231		1	35	35	
Kilstål	30x30 C45	1 500			MS	231231		12	35	420	
Mtrl till. Fix.	Blandat				27	231231		10	40	400	
PC	Ø25	810	Transparant		3	240903		0,1	50	5	240903
PC	Ø25	145	Transparant		3	240926		0,1	50	5	240926
Plast OL Gul	Ø60	1 020	PA6		21	210169	240327	2	50	100	
Plast svart	Ø110	30	Acetal		21	231231		8	50	400	
Plast svart	Ø160	145	PEHD		21	231231		12	50	600	
Plast svart	35x30	370	PA6 G		21	231231		20	50	1000	
Plast svart	35x30	2x750	PA6 G		21	231231		28	50	1400	
Plast svart	Ø200	14x25	rest av GBD		21	231231		6	50	300	
Plast svart	Ø185	9x25	rest av GBD		21	231231		4	50	200	
Plast svart	Ø210	5x25	rest av GBD		21	231231		2	50	100	
Plast svart	Ø160	6x25	rest av GBD		21	231231		3	50	150	
Plast svart	Ø90	9x25	rest av GBD		21	231231		2	50	100	
Plast vit	110x5	13x130			21	231231		10	50	500	
Plast vit	Ø49,5	530			21	231231		5	50	250	
Plast vit	Ø51	995			21	231231		5	50	250	
Plast vit	50x27	910	Rör		21	231231		10	50	500	
Plast vit	Ø200	140			21	231231		2	50	100	
Plast vit	32x51	2x230			21	231231		1	50	50	
Plast vit	40x92	360			21	231231		5	50	250	
Plast vit	Ø51	40x100			21	231231		20	50	1000	
Plast vit	Ø60	610	PEHD		21	231231		8	50	400	
Plast vit	Ø45	7x90	Acetal C natur		21	231231		0,5	50	25	
Pom/Svart	Ø36	290			21	231231		2	50	100	
Pom/svart	Ø200	280			21	231231		3	50	150	
Pom/svart	122x42	160			21	231231		3	50	150	
Pom/Svart	20x10	860			3	240903		0,1	50	5	240903
Pom/vit	Ø45	1 000			21	231231		2	50	100	
PTFE	Ø25	900	Natur		3	240829		0,3	50	15	240903
PTFE	Ø25	80	Natur		3	240918		0,1	50	5	240918
S355J2 2142	Ø16	10x1000	slipad h6		46	240425		19	20	380	
S355J2 2142	Ø16	2x960	slipad h6		46	240425		4	20	80	
Titan	Ø76	320	GR5		507	241027		6,7	530	3551	
Titan	Ø76	400	GR5		507	241027		8,4	530	4452	
Titan	Ø76	350	GR5		507	241027		7,4	530	3922	
Titan	Ø76	440	GR5		507	241027		9,2	530	4876	
Titan	Ø76	440	GR5		507	241027		9,2	530	4876	
Titan	Ø76	400	GR5		507	241027		8,4	530	4452	
Titan	Ø76	78	GR5		12	241027		1,6	530	848	
Titan	Ø55	95	GR2		13	241027		1,02	400	408	
Titan	Ø76	23	GR2		12	241027		0,48	400	192	
Titan	Ø76	95	GR2		12	241027		1,94	400	776	
Titan	Ø55	65	GR2		13	241027		0,3	400	120	
Titan	Ø76	70	GR5		12	241027		2,86	530	1515,8	
Titan	Ø76	30			12	241027		0,61	400	244	
Titan	Ø120	70			24	241027		3,6	400	1440	
Titan	Ø20	1 650			MS	241220		3	400	1200	241220
Titan	Ø65	2x500	GR5	Heat HX-2421	507	250205		15	530	7950	250205
Titan	Ø65	7x550	GR5	Heat HX-2421	507	240400	241027	55	530	29150	250205
Toolox	100x35	245			5	231231		7	100	700	

Toolox	35x68	250			5	231231		4	100	400	
Toolox	105x10	5x190			28	231231		8	100	800	
Toolox	70x24	10x190			28	231231		25	100	2500	
Toolox	94x105	6x155			28	231231		72	100	7200	
Toolox-33	135x25	3x600			4	231231		60	100	6000	
Toolox-33	137x25	430			4	231231		12	100	1200	
UB400	Ø170	130			504	241205		10	35	350	241205
UB400	Ø170	125			MS	240830		10	35	350	240830
UB400	Ø170	120			MS	240830		10	35	350	240830
UB500-7	Ø170	165			MS	241218		10	35	350	241218
UB500-7	Ø95	1 200			MS	241009		60	35	2100	241010
Pom-H vit	Ø20	1 000			3	241023		0,5	50	25	
1.4301	Ø16	1 090	Slipat h9		41	241028		15	65	975	241021
1.4305	Ø10	3x3000		910016770/2 145984	46	241104		7	65	455	
1.4305	Ø10	2 500		910016770/2 145984	46	241104		1	65	65	
6082-T651	20x185	192		5683 4052 7384	510	250108		3	80	240	241206
1.4404	Ø25	400		A2405160252 6Z737 C0113249DK 2017-29690	7	250115		2	80	160	
1.4404	Ø12	1 280		Heat 805087 137659	45	250319		1	80	80	250319
1.4404	Ø10	3x6000	Blankdragen	10524288487 C00111068DK	MS	241106		12	80	960	241106
1.4404	Ø10	3 000	Blankdragen	A2404250131 6Z737 C00112945DK	45	241106		2	80	160	241106
1.4404	Ø10	970	Blankdragen	A2404250131 6Z737 C00112945DK	45	241106		0,5	80	40	241106
1.4404	Ø65	380		A2206220294 6Q680 142206	511	241209		5	80	400	241209
1672 C45	Ø30	4x400	h8 slipat		17	250414		15	25	375	250203
1.4305	Ø10	160		910016770/2 145984	1	241112		0,1	65	6,5	
Aluminium profil	130x130	9x3500	Kunds material		MS	241112			65	0	241112
Aluminium profil	130x130	2x570	Kunds material		MS	241112		0	65	0	241112
Aluminium profil	130x130	1 460	Kunds material		MS	241112		0	65	0	241112
7075 T651	90x193	250		7544	520	241219		6	80	480	241219
1.4460	Ø31	18x270		174154	8	231231		20	65	1300	
1.4460	Ø60	1 000	slipad	534527 Heat 556944	517	241211		15	65	975	241211
2172	Ø168,3x12,5	180			504	241205		5	20	100	241205
2172	Ø203/10	830	Rör		MS	250627		40	20	800	250627
2172	Ø267/36	150	Rör		504	241204		27	20	540	241205
2172	Ø88,9x12,5	1 900	Rör		MS	241204		46	20	920	241216
2172	Ø121/17,5	1 220	rör		MS	241218		55	20	1100	241218
2172	Ø130/95	6 000	rör		MS	241114	?	300	20	6000	241216
5083	139x30	3x1087		66490	515	241209		30	80	2400	241209
Bab	Ø42	550			509	241121		4	25	100	
6082-T651	45x407	2x423			520	241211		43	80	3440	241211
6082-T651	40x407	2x423			520	241211		39	80	3120	241211
1.4404	Ø22	270	Blankdragen	10524296280 36SFE010A C00111505DK	11	250617		1	80	80	250617
1.4404	Ø22	570	Blankdragen	10524296280 36SFE010A C00111505DK	11	250115		2	80	160	250115
2172	Ø30	3 000	h9 KD		44	241125		17	20	340	241125
1.4404	Ø65	220		A2206220294 6Q680 142206	511	250107		3	80	240	250107
1.4404	Ø60	520		A2206220294 6Q680 142206	512	241209		8	80	640	241209
1.7227	Ø66,2	170	QT skalat		18	241128		2	85	170	241128
5083	139x30	440		66490	515	241209		6	80	480	241209
Inconel 625	Ø40	86			3	241204					241204
Aluminium	100x10	10x160			502	241205		7	80	560	241205
1.4404	Ø65	4x370		A2206220294 6Q680 142206	511	241209		20	80	1600	241209
1.4404	Ø60	2x440		A2203310483 6P855 140948	512	241218		12	80	960	241218
1.4404	Ø60	400		A2203310483 6P855 140948	512	241209		6	80	480	241209
6082-T6 6511	25x25	2x1500		C81742018/25.09.24	44	241212		1	80	80	241212

1.4404	Ø16	3 000		A2403290371 6Z436 C00110791DK	43	240744	241216		5	80	400	241216
6082-T6	15x6	220			22		241217		0,1	80	8	241217
6082-T6	30x30x3	700	L-profil	1083328	26		241217		0,2	80	16	241217
5083	Ø60	400			1		241217		8	80	640	241217
6082-T6	30x30x3	660	L-profil	1083328	26		241217		0,2	80	16	241217
Aluminium profil	130x130	670	Kunds material		MS		241218		0	65	0	241218
6082-T6	60x10	670			9		241218		0,2	80	16	241218
2172	120x40	1 280			MS		250305		48	20	960	241219
CW614N	Ø25	365		2023 / 002946.15	1		241220		2	100	200	241220
1.4404	Ø65	4x400		A2206220294 6Q680 142206	511		250120		20	80	1600	250120
6082-T6	30x30x3	640	L-profil	1083328	26		240108		0,2	80	16	250108
6082-T6	85x85	710		1727 del 23/09/2024	525		250108		14	80	1120	250108
6082-T6	Ø30	850		40361563	43		250313		1	80	80	250313
1.4305	Ø25	530	Centerlesslip h9	A2207260238 6R534 144124	6		250210		3	65	195	250210
6082-T6 AMAG	6x127	7x152		89342618	525		250109		2	80	160	250109
UB250	Ø60	2x3080			MS		250113		125	35	4375	250113
6060-T6 T66	30x30x3	2 250	Fyrkant rör	ALMC/2024-11.177	45	250009	250114		2	80	160	250114
6082-T6	Ø25	500		C76826009_10.01.24	14		250204		1	80	80	250204
1.4404	50x40	3 040	Valsad /betad	2017-60679 902876 151138	MS	250008	250116		50	80	4000	250116
1.4404	25x10	3 290	Valsad /betad	2017-66554 Heat 903194 906810	45	240779	250116		6	80	480	250116
1.4307	Ø25	2 000		910019881/3 Heat DC562 147533	42	240800	250117		8	65	520	250117
1.4305	Ø25	2x300	Centerlesslip h9	A2207260238 6R534 144124	6		250117		2	65	130	250117
1.4404	Ø82	540		A2410300843 7B848 C00125716DK	701		250120		22	80	1760	250120
1.4404	Ø82	400		A2410300843 7B848 C00125716DK	701		250120		20	80	1600	250120
1.4404	Ø82	380		A2410300843 7B848 C00125716DK	701		250120		18	80	1440	250120
2172	Ø105	6x150			504		250129		50	20	1000	250129
1.4307	Ø25	210		910019881/3 Heat DC562 147533	7		250124		2	65	130	250124
2172	Ø90x8	2x2020	Push tube rör krom	Kunds material	MS		241101		8	20	160	
2172	Ø250	380			503		250131		145	20	2900	250131
1.4404	Ø40	1 300	Skalsvarvad	2024051234 Heat 473817 156169	MS		250626		11	80	880	250626
6082-T6	68x45	282		89323114	502		250203		2	80	160	250203
1.4404	50x40	3x152	Valsad /betad	2017-60679 902876 151138	10		250204		5	80	400	250204
1.4404	50x40	71	Valsad /betad	2017-60679 902876 151138	10		250204		0,2	80	16	250204
Titan	Ø65	2x450	GR5	Heat HX-2421	507		250205		8	530	4240	250205
Titan	Ø65	530	GR5	Heat HX-2421	507		250205		5	530	2650	250205
Titan	Ø65	420	GR5	Heat HX-2421	507		250205		4	530	2120	250205
Titan	Ø65	430	GR5	Heat HX-2421	507		250205		4	530	2120	250205
6082-T6	Ø40	3 000		40362235	45		250206		10	80	800	250206
6082-T6	Ø125	275		ALMC/2024-04.212	510		250306		6	80	480	250306
7075-T6	Ø125	380		11304	510		250206		12	80	960	250206
2260	125x8	420			13		250207		2	100	200	250207
6082-T6	50x50	1 880		40361488	MS		250626		12	80	960	250626
6082-T6	25x10	2 500		C72037014/10.04.23	42		250207		4	80	320	250207
7075-T6	120x30	185		9329	510		250207		2	80	160	250207
2172	Ø50	1 170	h9		42		250501		18	20	360	250501
2511	Ø36	4X3000	Skalat		MS		250210		96	35	3360	250210
1.4301	Ø40	2 700	Dragen,slipad	TC219804 Heat S-30625 2024013151	MS		250210		28	65	1820	250210
1.4418	Ø46	1 000	Skalsvarvad	Heat 373976 906552	41		250212	X	15	80	1200	250212
1.4404	Ø82	1 010		A2410300843 7B848 C00125716DK	703		250219		42	80	3360	250219
AC5083	210x20	6x265		CER24210558	520		250217		10	80	800	250217
1.0715	Ø30	2x1000			13		250218		8	80	640	250218
1.0715	Ø30	2x480			13		250218		4	80	320	250218

1.4404	Ø82	880		A2410300843 7B848 C00125716DK	703		250219		40	80	3200	250219
1.4404	Ø82	1 170		A2410300843 7B848 C00125716DK	703		250224		42	80	3360	250224
1.4404	Ø82	1 000		A2410300843 7B848 C00125716DK	703		250224		43	80	3440	250224
1.4404	Ø65	3x410		A2206220294 6Q680 142206	511		250326		14	80	1120	250326
1.4404	Ø50	260		A2403070156 6Z435 C00107912DK	512		240505		3	80	240	250505
1.4404	Ø85	2x1090		A2404180157 6Z736 C0112923DK	MS		250318		90	80	7200	250318
1.4404	Ø82	11x600		A2410300842 7B848 C00125715DK	705		250422		260	80	20800	250422
JM3 5465	Ø97	230			15		250227		10	120	1200	250227
1.4404	25x25	1 990	Valsad /betad	722220 Heat EG335 A2411060144 7B284 C00125732DK	41		250228		10	80	800	250228
1.4305	Ø105	75	Skalsvarvad	A2403070150 6Z540 C00107963DK	15		250228		6	65	390	
1.4305	Ø50	4 000	Skalsvarvad	A2403070150 6Z540 C00107963DK	MS		250228		60	65	3900	250228
6082-T6	Ø125	70		40310529	22		250228		2	80	160	
6082-T6	Ø125	80		40310529	22		250228		2	80	160	
6082-T6	Ø125	100		40310529	22		250228		2	80	160	
6082-T6	Ø120	70		1702 del 17/09/2024	22		250604		2	80	160	250604
1.4571	Ø70/5	2 690	rör	230113-S019	MS		250305		23	65	1495	250305
1.7225	Ø39	3 000	Skalat		MS		250529		28	20	560	250529
1.4404	Ø270	7x35		MEST087186 / 2023 / Heat 291994	MS		250310		112	80	8960	250310
1.4404	Ø200	35		2022031505 200812 141648	MS		250310		10	80	800	250310
6082-T6 /T6511	Ø125	3 000		40367056	MS		250211		100	80	8000	250311
1.4301	Ø95	90		6F318	6		250311	LA1789RF30 4, 250448	4	65	260	250311
1312	50x50x8	4 200			MS		250312		28	20	560	250312
6082-T6	Ø75	200			14		250313		2	80	160	250313
1.4418QT900	Ø20	3 000		557792 Heat 571661	42		250317		7	80	560	250317
1.4418QT900	Ø20	2 500		557792 Heat 571661	42		250317		6	80	480	250317
1.4404	12x12	1 270		A2107280327 6J413	44		250318		7	80	560	241206
6082-T6	100x12	300		Cert 11190120	700		250318		1	80	80	250318
1.4404	Ø85	350		2024032165 Heat 473255	703		250523		13	80	1040	250523
JM3 5465	Ø97	250			15		250320		10	120	1200	250320
JM3 5465	Ø97	2x100			15		250320		10	120	1200	250320
6082-T6	Ø125	175		ALMC/2024-04.212	510		250320		3	80	240	250320
6082-T6	Ø120	2x120		1702 del 17/09/2024	510		230520		4	80	320	230520
1.4404	Ø65	3x600		A2206220294 6Q680 142206	511		250326		30	80	2400	250326
1.4404	Ø65	2x6000		A2206220294 6Q680 142206	MS		250402		360	80	28800	250402
UB250	Ø80	3 080			MS		250401		112	35	3920	250401
6082-T651	20x178	158		4668 70365989	510		250401		1	80	80	250401
1.4404	Ø65	2 960		A2206220294 6Q680 142206	MS		250402		90	80	7200	250402
1.4404	Ø65/10 ca mått invändigt	4x600	Borrade rör	A2206220294 6Q680 142206	503		250403		20	80	1600	250403
1.4305	Ø15	200		A2206150104 6Q752 142127	41		250403		0,2	65	13	
5170-04 CW614N	Ø20	770			7		250404		2	80	160	
6082-T6	Ø30	400		40361563	6		250407		2	80	160	250407
6082	Ø20	1 000			14		250407		0,5	80	40	
2172	450/265	55			704		250408		15	20	300	250408
2172	Ø70	340	S355J2		5		250505		7	20	140	250505
1.4305	Ø50	1 000	Skalsvarvad	A2403070150 6Z540 C00107963DK	42		250415		12	65	780	250415
1.4305	Ø50	400	Skalsvarvad	A2403070150 6Z540 C00107963DK	11		250415		5	65	325	250415
1.4404	Ø85	41x153		A2310190182 6X354 C00097054DK	G		250425		330	80	26400	250425

1.4404	Ø82	3x600		2025013208 Heat 572410 156903	706		250423		48	80	3840	250423
6082-T6	Ø535	180			707		250424		107	80	8560	250424
1.4404	Ø60	600		A2206220294 6Q680 142206	511		250424		6	80	480	250424
1.4404	Ø60	410		A2206220294 6Q680 142206	511		250424		5	80	400	250424
2541	Ø20	3 000	KD		41		250428		8	35	280	250428
Kilstål	20x20 C45	2x1400			45		250428		10	35	350	
6082-T6	95x95	2 570		40362233	MS		250429		70	80	2115	
6082-T6	95x95	110		40362233	22		250429		2	80	2115	
2541	Ø173	570			MS		250501		106	35	3710	
1.4432	Ø10	770		376677 Heat 470310 LP 369-25	5		250501		1	65	65	250501
1.4435	Ø115	3 700		Heat E241581	MS		250507		300	65	19500	250507
Toolox-33	2x150x28	605			503		250507		20	100	2000	
6082	Ø105	55			510		250512		1	80	80	250512
6082-T6	95x95	2x105		40372125	24		250514		4	80	2115	
1.4404	Ø50	2x6000		A2409250259 7B719 908512	MS		250515		190	80	15200	250505
2172	Ø38	700			19		250519		5	20	100	250519
2142	Ø25	1 650	KD h9		44		250522		7	20	140	
CW306G-H120	Ø35	185			5		250528		1	100	100	250528
1.4462	Ø130	1 070		2023036207 Heat 376927 148653 + hårdintvåg	MS		250610		115	65	7475	250610
1.4404	Ø82	6x600		2025013208 Heat 572410 156903	702		250618		150	80	12000	250618
1.4404	Ø85	1 350		A2407290184 7A205 C00120776DK	708		250618		60	80	4800	250618
Gängstång	M10	800	FZB		1		250618		0,2	45	22,5	
1.4404	Ø85	1 050		A2407290184 7A205 C00120776DK	708		250618		50	80	4000	250618
1.4404	Ø85	2x1050		A2407290181 7A477 C00120773DK	709		250619		100	80	8000	250619
1.4404	Ø85	2x1000		A2407290181 7A477 C00120773DK	709		250623		100	80	8000	250623
6082-T6	Ø260	42			502		250623		4	80	320	250623
2260	Ø55,8	540			16		250624		8	100	800	250624
2172	Ø55	6 000	KD	71255/2025	MS		250625		113	20	2260	250625
1.4404	Ø85	6x1290		A2407290181 7A477 C00120773DK	709		250701		250	80	20000	250701
2172	Ø203/10	780	Rör		MS		250702		35	20	700	250627